



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/798,620	03/10/2004	Richard Doil Lane	030072	6177
23596	7590	03/14/2011		
QUALCOMM INCORPORATED				
5775 MOREHOUSE DR.				
SAN DIEGO, CA 92121				
EXAMINER				
STANLEY, MARK P				
ART UNIT		PAPER NUMBER		
2427				
NOTIFICATION DATE		DELIVERY MODE		
03/14/2011		ELECTRONIC		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

us-docketing@qualcomm.com

### Office Action Summary

**Application No.**

10/798,620

**Applicant(s)**

LANE, RICHARD DOIL

**Examiner**

MARK P. STANLEY

**Art Unit**

2427

**Period for Reply** -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 02 December 2010.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) See Continuation Sheet is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) See Continuation Sheet is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-946)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

Continuation of Disposition of Claims: Claims pending in the application are 1-15,17,18,20-30,32,34-40,42-54,56,58-64,66-81,84-86,88-94,96,98-102,105,106,108-112 and 115-133.

Continuation of Disposition of Claims: Claims rejected are 1-15,17,18,20-30,32,34-40,42-54,56,58-64,66-81,84-86,88-94,96,98-102,105,106,108-112 and 115-133.

## **DETAILED ACTION**

### ***Miscellaneous***

1. This action is in response to amendment date 12/2/2010.
2. Claims 1-15, 17-18, 20-30, 32, 34-40, 42-54, 56, 58-64, 66-81, 84-86, 88-94, 96, 98-102, 105-106, 108-112, 115-133 are currently pending. Claim 132-133 have been newly added. Claims 16, 19, 31, 33, 41, 55, 57, 65, 82-83, 87, 95, 97, 103-104, 107, 113 and 114 have been previously canceled. Claims 8, 18, 67 and 80 have been newly amended.

### ***Response to Arguments***

3. Applicant's arguments have been considered but are moot in view of the new ground(s) of rejection.
4. Applicant argues that Christopoulos in view of Kost, Short and Mantha fail to disclose an encoder system for selectively re-encoding a receiver stream. However the Examiner respectfully disagrees. Christopoulos based on received hints at a gateway selectively transcodes (re-encodes) a received stream, that is Christopoulos selectively either transcodes audio and video data together or selectively transcodes audio and video data separately. As such the claimed limitations are disclosed.
5. Applicant argues that Kost does not disclose or suggest two different parameter sets for encoding audio or encoding the audio with video. However the Examiner respectfully disagrees, paragraph 84 of Kost discloses that the audio data (item 12b)

may be encoded differently than the video data (item 12a) that is that the there 'may' be an parameter set to encode the audio data and that there may be another parameter set to encode both the audio with video data.

But, further the Applicant argues that this evidence is insufficient stating that just because the audio data may be encoded differently than the video data, does not mean that there is a separate encoding parameter set only for the audio data. However the Examiner respectfully disagrees, there appears to exist no clear differentiation between parameter sets other than the parameter sets are sets are to encode a specific type of data. With respect to the above statement, the Examiner is unable to differentiate how for instance a specific encoding parameter set for audio such as mp3 may be used with respect to Kost, while a specific encoding parameter set for video data without audio data such as mpeg may be used. As such further clarification would be necessary to differentiate between what an encoding parameter set particularly performs on the data type that makes it unique from the other three parameter sets. As such, Christopoulos in view of Kost do disclose the given limitations with respect to the given limitation.

6. Applicant argues that the encode manager and customer manager would be required to reside on the same device, stating that Christopoulos teaches against this as there would be a required server and intermediary node. However, why the situation may appear ideal, Christopoulos also acknowledges that it would also be beneficial to have all the given components resides in a single device ([0035], "it will be recognized that the gateway can reside in the server **110** or in the client device **135**). As such

Christopoulos does disclose reasonable means for the customer manager and encode manager to reside on a single device.

***Claim Rejections - 35 USC § 103***

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. Claim 1-2, 5, 7-12, 14, 17, 20-23, 25-26, 29, 32, 35-36, 38, 42, 44-47, 49-50, 53, 56-60, 62, 66, 68-71, 73-74, 77, 79-81, 84-86, 91, 93-94, 96-97, 101-102, 105-106, 111-112, 115-118, 122 and 124-133 are rejected under 35 U.S.C. 103(a) as being unpatentable over Christopoulos et al. (US 2001/0047517 hereinafter Christopoulos) in view of Kost et al. (US 2002/0154691 hereinafter Kost), Short et al. (US 6,789,110 hereinafter Short) and Mantha et al. (US 2004/0023622 hereinafter Mantha).

**Regarding claim 1**, Christopoulos discloses “an apparatus, operable in a wireless communication system, comprising:

a customer manager to determine a user preference for selective re-encoding of a multimedia stream;” ([0035], [0036]-[0038], [0046], Figs. 2-3 and 5)

“an encode manager included within wireless service provider equipment of the wireless communication system for receiving the multimedia stream” ([0033], [0035]-

[0036], Fig. 1 item 120 gateway with item 125 transcoder receives a multimedia stream from item 113 multimedia storage)

“an encoder system included within the wireless service provider equipment for selectively re-encoding the received stream using the selected one of the plurality of encoding parameter sets to output an encoded stream with principles set forth by the selected one of the plurality of encoding parameter sets” ([0007], [0035], [0037]-[0038], [0046], Figs. 1-3 items 350 and 360, item 125 the transcoder selects a scheme to re-encode the multimedia stream based upon various factors including user preferences).

But, while Christopoulos states selecting multiple different parameter sets to encode two different types of multimedia data being an encoding parameter set (*2<sup>nd</sup> encoding parameter set*) for encoding a video data type (Fig. 5, [0046] where video data is considered the 2<sup>nd</sup> data type) and an encoding parameter set (*3<sup>rd</sup> encoding parameter set*) for encoding an image data type (Fig. 4, [0039], where image data is considered the 3<sup>rd</sup> data type) where the user preferences determine which set to use (the hints associated with each data packet used to select an encoding set), Christopoulos does not explicitly state the use of a three encoding parameter sets for encoding three different data type or an encoding parameter set for encoding multiple types of the plurality of types of data.

However, Kost discloses an encoding set (*1<sup>st</sup> encoding parameter set*) to encode audio data ([0079]-[0080], [0084], Fig. 1, where audio data is considered the 1<sup>st</sup> data type) and an encoding set (*4<sup>th</sup> encoding parameter set*) to encode both video and audio data.

Further, while Christopoulos states that the user preference further specifies a demand to provide the multimedia stream at a lowest cost (where cost is assumed to be bandwidth) and selecting one of the plurality of encoding parameter sets that provides a high rate of compression and a lower quality of service to provide the lowest cost in accordance with the demand specified by the user preference (when the hint associated with the data packet indicating user preference indicates a high rate of compression and a lower quality), Christopoulos does not explicitly state the preference being with respect to a lower billing cost only with respect to a lower bandwidth cost.

However, Short discloses where a user selects a preference indicating a bandwidth cost, where the bandwidth cost is correlated to a billing cost, the lower the bandwidth cost the lower the billing cost (col. 13 line 58 - col. 14 line 2).

In addition, Christopoulos does not explicitly state there being a first and second user, the first user preferences resulting in a lower quality of service than a second user, where the second user preferences determine the second users quality of service.

However, Mantha discloses based providing voice and data to users (subscribers) determined by pricing schemes, where a second user may pay more for a higher quality of service relative to a first user ([0082]).

Therefore it would have been obvious at the time of the invention to combine the teachings of Christopoulos for adaptive encoding in a wireless communication system that uses multiple encoding parameters sets for specific types of data selected based upon user preferences with the teachings of Kost that discloses an encoding set to



encode both video audio data and an encoding set to encode for only audio data and further with the teachings of Short for associating a user preference of bandwidth cost with billing cost and further with the teachings of Mantha for providing different quality of service to different users based on a pricing schemes and allocation criteria. One would have been motivated to do so to provide the user the capability to place a higher priority on audio data over video data via user preferences for video teleconferencing where it would be desirable to have more accurate audio data than video data and to further provide a user the ability for adaptive billing based on bandwidth cost desired, along with providing the option for different quality of services to different users for the purpose of increasing revenue by accounting for users that may not desire to pay for a higher quality of service or desire a higher quality of service and concordantly for users that may desire to pay for a higher quality of service or require a higher quality of service.

**Regarding claim 2,** Christopoulos, Kost, Short and Mantha disclose "the apparatus of claim 1, wherein the encoding scheme is selected from a group that includes one or more of a scheme based on a system bandwidth, a scheme based on a wireless receiver capability, a scheme based on a number of users requesting a specific multimedia stream at a designated QoS, a scheme based on a multimedia data type, a scheme based on a user preference and a scheme based on characteristics of a mobile station" ([0036]-[0038], [0046]-[0047], Fig. 3).

**Regarding claim 5**, Christopoulos, Kost, Short and Mantha disclose "the apparatus of claim 2, further comprising an encoder for executing the selected one of the plurality of encoding parameter sets for each of the first and second users based on the encoding scheme" ([0014], Fig. 1 item 125).

**Regarding claim 7**, Christopoulos, Kost, Short and Mantha disclose "the apparatus of claim 1 further comprising a bandwidth manager that dynamically determines an available bandwidth for a requested multimedia stream" ([0007], [0036], [0046]).

**Regarding claim 8**, Christopoulos, Kost, Short and Mantha disclose "the apparatus of claim 1, further comprising a decoder for receiving the multimedia stream and decoding the received stream to output a decoded stream, wherein the encoder system re-encodes the received stream by re-encoding the decoded stream using the selected one of the plurality of encoding parameter sets for each of the first and second users to output the encoded stream differently for each of the first and second users with principles set forth by the respective encoding parameter set" ([0036]-[0038], [0046], Figs. 3 and 5).

**Regarding claim 9**, Christopoulos, Kost, Short and Mantha disclose "the apparatus of claim 1, wherein the encoder manager comprises a bandwidth manager

for selecting the one of the plurality of the encoding parameter sets for each of the first and second users in accordance with the encoding scheme" ([0007], [0036], [0046]).

**Regarding claim 10**, Christopoulos, Kost, Short and Mantha disclose "the apparatus of claim 1, wherein the encoder system comprises an encoder for executing the selected one of the encoding parameter sets for each of the first and second users" ([0014], Fig. 1 item 125).

**Regarding claim 11**, Christopoulos, Kost, Short and Mantha disclose "the apparatus of claim 1, further comprising a transceiver for wirelessly transmitting re-encoded streams to a mobile stations for each of the first and second users" ([0003], [0007], [0035], Fig. 1 item 130, a transmitter and receiver at both ends for bi-directional wireless communications would be necessary).

**Regarding claim 12**, Christopoulos, Kost, Short and Mantha disclose "the apparatus of claim 1, wherein the encoding system provides an output configurable for handheld devices that require a first frame rate and a first bandwidth" ([0002], [0036]-[0038], [0046]-[0047]).

**Regarding claim 14**, Christopoulos, Kost, Short and Mantha disclose "the apparatus of claim 1,

wherein the received stream comprises a stream of a first resolution, and

wherein for the first user the encoding system re-encodes the received stream by re-encoding the stream of a first resolution to a stream of a second resolution, a first frame rate and a first bandwidth" ([0002], [0036]-[0038], [0046]-[0047], [0056], Fig. 3).

**Regarding claim 17**, Christopoulos, Kost, Short and Mantha disclose "the apparatus of claim 1, wherein for each of the first and second users preferences the encode manager selects two or more of the plurality of encoding parameter sets in accordance with an encoding, scheme" (when two types of data are being streamed such as image and video or video and audio).

**Regarding claim 20**, Christopoulos, Kost, Short and Mantha disclose "the apparatus of claim 1, further comprising a computer configured to receive the multimedia stream from a mobile station" ([0003], [0035]).

**Regarding claim 21**, Christopoulos, Kost, Short and Mantha disclose "the apparatus of claim 20, wherein the mobile station is operable in the wireless communication system" ([0003], [0035]).

**Regarding claim 22**, Christopoulos, Kost, Short and Mantha disclose "The apparatus of claim 1, wherein the multimedia stream is received using an over the air communication air interface" ([0007], [0035]).

**Regarding claim 23**, Christopoulos, Kost, Short and Mantha disclose "the apparatus of claim 1, wherein the multimedia stream is received using an internet connection" ([0003], [0035]).

**Regarding claim 25**, Christopoulos discloses "a method for providing digital multimedia in a wireless communication system, comprising:

determining with a customer manager of the wireless communication system a user preference for selective re-encoding of a multimedia stream" ([0035], [0036]-[0038], [0046], Figs. 2-3 and 5)

"receiving the multimedia stream at an encode manager of the wireless communication system;" ([0033], [0035]-[0036], Fig. 1 item 120 gateway with item 125 transcoder receives a multimedia stream from item 113 multimedia storage)

"selecting at least one of a plurality of encoding parameter sets in accordance with an encoding scheme, wherein the encoding scheme includes a scheme based on a user preference, wherein the multimedia stream includes a plurality of different types of data," ([0007], [0035], [0037]-[0038], [0046], Figs. 1-3 items 350 and 360, item 125 the

transcoder selects a scheme to re-encode multimedia stream based upon various factors including user preferences)

selectively re-encoding, with an encoder system of the wireless communication system, the received stream using the selected one of the plurality of encoding parameter sets to output an encoded stream with principles set forth by the selected one of the plurality of encoding parameter sets" ([0007], [0037]-[0038], [0046], Fig. 1, Fig. 3 items 350 and 360, item 125 the transcoder selects a scheme to re-encode multimedia stream based upon various factors including available bandwidth).

But, while Christopoulos states selecting multiple different sets to encode two different types of multimedia data being image (Fig. 4, [0039]) and video (Fig. 5, [0046]) where the user preferences determine which set to use (the hints associated with each data packet used to select an encoding set), Christopoulos does not explicitly state the use of a third encoding parameter set for encoding multiple types of the plurality of types of data.

Further, while Christopoulos states the user preference further specifies a demand to provide the multimedia stream at a lowest cost (where cost is assumed to be bandwidth) and selecting one of the plurality of encoding parameter sets that provides a high rate of compression and a lower quality of service to provide the lowest cost in accordance with the demand specified by the user preference (when the hint associated with the data packet indicating user preference indicates a high rate of compression and a lower quality), Christopoulos does not explicitly state the preference being with respect to a lower billing cost only with respect to a lower bandwidth cost.

In addition, Christopoulos does not explicitly state there being a first and second user, the first user preferences resulting in a lower quality of service than a second user, where the second user preferences determine the second users quality of service.

However, Mantha discloses based providing voice and data to users (subscribers) determined by pricing schemes, where a second user may pay more for a higher quality of service relative to a first user ([0082]).

Therefore it would have been obvious at the time of the invention to combine the teachings of Christopoulos for adaptive encoding in a wireless communication system that uses multiple encoding parameters sets for specific types of data selected based upon user preferences with the teachings of Kost that discloses an encoding set to encode both video audio data and an encoding set to encode for only audio data and further with the teachings of Short for associating a user preference of bandwidth cost with billing cost and further with the teachings of Mantha for providing different quality of service to different users based on a pricing schemes and allocation criteria. One would have been motivated to do so to provide the user the capability to place a higher priority on audio data over video data via user preferences for video teleconferencing where it would be desirable to have more accurate audio data than video data and to further provide a user the ability for adaptive billing based on bandwidth cost desired, along with providing the option for different quality of services to different users for the purpose of increasing revenue by accounting for users that may not desire to pay for a higher quality of service or desire a higher quality of service and concordantly for users

that may desire to pay for a higher quality of service or require a higher quality of service.

**Regarding claim 26**, Christopoulos, Kost, Short and Mantha disclose “the method of claim 25, further comprising selecting the first encoding scheme from a group of encoding schemes that includes one or more of a scheme based on a system bandwidth, a scheme based on a wireless receiver capability, a scheme based on a number of users requesting a specific multimedia stream at a designated QoS, a scheme based on a multimedia data type, the scheme based on the user preference and a scheme based on characteristics of a mobile station” ([0036]-[0038], [0046]-[0047], Fig. 3).

**Regarding claim 29**, Christopoulos, Kost, Short and Mantha disclose “the method of claim 26, further comprising executing the selected one of the plurality of encoding parameter sets for each of the first and second users using an encoder” ([0014], Fig. 1 item 125).

**Regarding claim 32**, Christopoulos, Kost, Short and Mantha disclose “the method of claim 25, further comprising receiving the multimedia stream at a decoder and decoding the received stream to render output a decoded stream” ([0036]-[0038], [0046]-[0047], Figs. 3 and 5).



**Regarding claim 34**, Christopoulos, Kost, Short and Mantha disclose “the method of claim 25, further comprising executing the selected at least one of the encoding parameter sets for each of the first and second users using an encoder” ([0014], Fig. 1 item 125).

**Regarding claim 35**, Christopoulos, Kost, Short and Mantha disclose “the method of claim 25, further comprising wirelessly transmitting the re-encoded stream sets for each of the first and second users” ([0003], [0007], [0035], Fig. 1 item 130, a transmitter and receiver at both ends for bi-directional wireless communications would be necessary).

**Regarding claim 36**, Christopoulos, Kost, Short and Mantha disclose “the method of claim 25, further comprising generating an output, configurable for handheld devices that require a first frame rate and a first bandwidth” ([0002], [0036]-[0038], [0046]-[0047]).

**Regarding claim 38**, Christopoulos, Kost, Short and Mantha disclose “the method of claim 25,

wherein the received stream includes a stream of a first resolution, and

wherein for the first user the encoding system re-encodes the received stream of the first resolution to stream of a second resolution, a first frame rate and a first bandwidth" ([0002], [0036]-[0038], [0046]-[0047], [0056], Fig. 3).

**Regarding claim 42**, Christopoulos, Kost, Short and Mantha disclose "the method of claim 25, wherein selecting at least one of the plurality of encoding parameter sets comprises selecting two or more of the plurality of encoding parameter sets in accordance with the encoding scheme,

wherein selectively re-encoding the received stream comprises selectively re-encoding the received stream using the selected two or more of the plurality of encoding parameter sets"(when two types of data are being streamed such as image and video or video and audio).

**Regarding claim 44**, Christopoulos, Kost, Short and Mantha disclose "the method of claim 25, further comprising receiving the multimedia stream from a mobile station" ([0003], [0035]).

**Regarding claim 45**, Christopoulos, Kost, Short and Mantha disclose "the method of claim 44, wherein the mobile station is operable in the wireless communication system" ([0003], [0035]).

**Regarding claim 46**, Christopoulos, Kost, Short and Mantha disclose “the method of claim 25, further comprising the multimedia stream is received using an over the air communication air interface” ([0007], [0035]).

**Regarding claim 47**, Christopoulos, Kost, Short and Mantha disclose “the method of claim 25, further comprising receiving the multimedia stream via an internet connection” ([0003], [0035]).

**Regarding claim 49**, Christopoulos discloses “an apparatus, operable in a wireless communication system, comprising:

means for receiving, within the wireless communication system, a decoded stream;” ([0033], [0035]-[0036], Fig. 1 item 120 gateway with item 125 transcoder receives a multimedia stream from item 113 multimedia storage)

“means for determining a user preference for selectively re-encoding the decoded stream;” ([0035])

“means for selecting, within the wireless communication system, at least one of a plurality of encoding parameter sets in accordance with an encoding scheme to use for re-encoding the received stream” ([0007], [0037]-[0038], [0046], Fig. 1, Fig. 3 items 350 and 360, item 125 the transcoder selects a scheme to re-encode multimedia stream based upon various factors including user preference).

"wherein the encoding scheme includes a scheme based on the user preference" ([0035]).

"wherein the decoded stream includes a plurality of different types of data" [0039], [0046])

"means for re-encoding, within the wireless communication system, the received decoded stream to output an encoded stream in accordance with the selected one of the plurality of encoding parameter sets" ([0036]).

But, while Christopoulos states selecting multiple different sets to encode two different types of multimedia data being image (Fig. 4, [0039]) and video (Fig. 5, [0046]) where the user preferences determine which set to use (the hints associated with each data packet used to select an encoding set), Christopoulos does not explicitly state the use of a third encoding parameter set for encoding multiple types of the plurality of types of data.

However, Kost discloses an encoding set to encode both video and audio data and an encoding set to encode audio data ([0079]-[0080], [0084], Fig. 1).

Further, while Christopoulos states the user preference further specifies a demand to provide the multimedia stream at a lowest cost (where cost is assumed to be bandwidth) and selecting one of the plurality of encoding parameter sets that provides a high rate of compression and a lower quality of service to provide the lowest cost in accordance with the demand specified by the user preference (when the hint associated with the data packet indicating user preference indicates a high rate of compression and

a lower quality)), Christopoulos does not explicitly state the preference being with respect to a lower billing cost only with respect to a lower bandwidth cost.

However, Short discloses where a user selects a preference indicating a bandwidth cost, where the bandwidth cost is correlated to a billing cost, the lower the bandwidth cost the lower the billing cost (col. 13 line 58 - col. 14 line 2).

In addition, Christopoulos does not explicitly state there being a first and second user, the first user preferences resulting in a lower quality of service than a second user, where the second user preferences determine the second users quality of service.

However, Mantha discloses based providing voice and data to users (subscribers) determined by pricing schemes, where a second user may pay more for a higher quality of service relative to a first user ([0082]).

Therefore it would have been obvious at the time of the invention to combine the teachings of Christopoulos for adaptive encoding in a wireless communication system that uses multiple encoding parameters sets for specific types of data selected based upon user preferences with the teachings of Kost that discloses an encoding set to encode both video audio data and an encoding set to encode for only audio data and further with the teachings of Short for associating a user preference of bandwidth cost with billing cost and further with the teachings of Mantha for providing different quality of service to different users based on a pricing schemes and allocation criteria. One would have been motivated to do so to provide the user the capability to place a higher priority on audio data over video data via user preferences for video teleconferencing where it

would be desirable to have more accurate audio data than video data and to further provide a user the ability for adaptive billing based on bandwidth cost desired, along with providing the option for different quality of services to different users for the purpose of increasing revenue by accounting for users that may not desire to pay for a higher quality of service or desire a higher quality of service and concordantly for users that may desire to pay for a higher quality of service or require a higher quality of service.

**Regarding claim 50**, Christopoulos, Kost, Short and Mantha disclose “the apparatus of claim 49, further comprising means for selecting the encoding scheme from a group of encoding schemes that includes one or more of a scheme based on a system bandwidth, a scheme based on a wireless receiver capability, t scheme based on a number of users requesting a specific multimedia stream at a designated QoS, a scheme based on a multimedia data type, the scheme based on the user preference and a scheme based on characteristics of a mobile station” ([0036]-[0038], [0046]-[0047], Fig. 3).

**Regarding claim 53**, Christopoulos, Kost, Short and Mantha disclose “the apparatus of claim 50, further comprising means for executing the selected one of the plurality of encoding parameter sets for each of the first and second users using an encoder” ([0014], Fig. 1 item 125).

**Regarding claim 56**, Christopoulos, Kost, Short and Mantha disclose “the apparatus of claim 49, further comprising means for receiving the multimedia stream at a decoder and decoding the received stream to output the decoded stream” ([0036]-[0038], [0046]-[0047], Figs. 3 and 5).

**Regarding claim 58**, Christopoulos, Kost, Short and Mantha disclose “the apparatus of claim 49, further comprising means for executing the selected one of the encoding parameters sets for each of the first and second users using an encoder” ([0014], Fig. 1 item 125).

**Regarding claim 59**, Christopoulos, Kost, Short and Mantha disclose “the apparatus of claim 49, further comprising means for transmitting the re-encoded stream for each of the first and second users” ([0003], [0007], [0035], Fig. 1 item 130, a transmitter and receiver at both ends for bi-directional wireless communications would be necessary).

**Regarding claim 60**, Christopoulos, Kost, Short and Mantha disclose “the apparatus of claim 49, further comprising means for generating an output, configurable for handheld devices that require a first frame rate and a first bandwidth” ([0002], [0036]-[0038], [0046]-[0047]).

**Regarding claim 62**, Christopoulos, Kost, Short and Mantha disclose “the apparatus of claim 49, wherein the received stream comprises a stream of a first resolution and means for re-encoding the received stream comprises for the first user, means for re-encoding the stream of the first resolution to a stream of a second resolution, a first frame rate and a first bandwidth” ([0002], [0036]-[0038], [0046]-[0047], [0056], Fig. 3).

**Regarding claim 66**, Christopoulos, Kost, Short and Mantha disclose “the apparatus of claim 49, wherein the means for selecting at least one of the plurality of encoding parameter sets comprises selecting two or more of the plurality of encoding parameter sets in accordance with the encoding scheme,

wherein selectively re-encoding the received stream comprises selectively re-encoding the received stream using the selected two or more of the plurality of encoding parameter sets” (when two types of data are being streamed such as image and video or video and audio).

**Regarding claim 68**, Christopoulos, Kost, Short and Mantha disclose “the apparatus of claim 49, further comprising means for receiving the multimedia stream from a mobile station” ([0003], [0035]).



**Regarding claim 69**, Christopoulos, Kost, Short and Mantha disclose “the apparatus of claim 68, wherein the mobile station phone is operable in wireless communication system” ([0003], [0035]).

**Regarding claim 70**, Christopoulos, Kost, Short and Mantha disclose “the apparatus of claim 49, further comprising means for receiving the multimedia stream via a communication air interface” ([0007], [0035]).

**Regarding claim 71**, Christopoulos, Kost, Short and Mantha disclose “the apparatus of claim 49, further comprising means for receiving the multimedia stream via an internet connection” ([0003], [0035]).

**Regarding claim 73**, Christopoulos discloses “a mobile station, operable in a communication system, comprising:

a transceiver configured to communicate with a wireless provider system; and” ([0003], [0007], [0035], Fig. 1 item 130, a transmitter and receiver at both ends for bi-directional wireless communications would be necessary)

“a processor for displaying a multimedia stream received from the wireless provider system via the transceiver, wherein the multimedia stream is encoded using one of a plurality of encoding parameter sets in accordance with an encoding scheme selected from a group of encoding schemes” ([0036]-[0039], [0046], Fig. 3).

"wherein the selected encoding scheme comprises a scheme based a user preference," ([0036])

But, while Christopoulos states selecting multiple different sets to encode two different types of multimedia data being image (Fig. 4, [0039]) and video (Fig. 5, [0046]) where the user preferences determine which set to use (the hints associated with each data packet used to select an encoding set), Christopoulos does not explicitly state the use of a third encoding parameter set for encoding multiple types of the plurality of types of data.

However, Kost discloses an encoding set to encode both video and audio data and an encoding set to encode audio data ([0079]-[0080], [0084], Fig. 1).

Further, while Christopoulos states the user preference further specifies a demand to provide the multimedia stream at a lowest cost (where cost is assumed to be bandwidth) and selecting one of the plurality of encoding parameter sets that provides a high rate of compression and a lower quality of service to provide the lowest cost in accordance with the demand specified by the user preference (when the hint associated with the data packet indicating user preference indicates a high rate of compression and a lower quality), Christopoulos does not explicitly state the preference being with respect to a lower billing cost only with respect to a lower bandwidth cost.

However, Short discloses where a user selects a preference indicating a bandwidth cost, where the bandwidth cost is correlated to a billing cost, the lower the bandwidth cost the lower the billing cost (col. 13 line 58 - col. 14 line 2).

In addition, Christopoulos does not explicitly state there being a first and second user, the first user preferences resulting in a lower quality of service than a second user, where the second user preferences determine the second users quality of service.

However, Mantha discloses based providing voice and data to users (subscribers) determined by pricing schemes, where a second user may pay more for a higher quality of service relative to a first user ([0082]).

Therefore it would have been obvious at the time of the invention to combine the teachings of Christopoulos for adaptive encoding in a wireless communication system that uses multiple encoding parameters sets for specific types of data selected based upon user preferences with the teachings of Kost that discloses an encoding set to encode both video audio data and an encoding set to encode for only audio data and further with the teachings of Short for associating a user preference of bandwidth cost with billing cost and further with the teachings of Mantha for providing different quality of service to different users based on a pricing schemes and allocation criteria. One would have been motivated to do so to provide the user the capability to place a higher priority on audio data over video data via user preferences for video teleconferencing where it would be desirable to have more accurate audio data than video data and to further provide a user the ability for adaptive billing based on bandwidth cost desired, along with providing the option for different quality of services to different users for the purpose of increasing revenue by accounting for users that may not desire to pay for a higher quality of service or desire a higher quality of service and concordantly for users

that may desire to pay for a higher quality of service or require a higher quality of service.

**Regarding claim 74**, Christopoulos, Kost, Short and Mantha disclose “the mobile station of claimed in 73, wherein the group of encoding schemes includes one or more of a scheme based on a system bandwidth, a scheme based on system bandwidth, a scheme based on a wireless receiver capability, a scheme based on a number of users requesting a specific multimedia stream at a designated QoS, a scheme based on a multimedia data type, the scheme based on the user preference and a scheme based on characteristics of a mobile station” ([0036]-[0038], [0046]-[0047], Figs. 3 and 5).

**Regarding claim 77**, Christopoulos, Kost, Short and Mantha disclose “the mobile station of claim 74, further comprising an encoder for executing the one of the encoder parameter sets for each of the first and second users based on the encoding scheme” ([0014], [0035], Fig. 1 item 125).

**Regarding claim 79**, Christopoulos, Kost, Short and Mantha disclose “the mobile station of claim 74, further comprising a bandwidth manager for determining the available bandwidth for a requested multimedia stream” ([0007], [0035]-[0036], [0046]).

**Regarding claim 80**, Christopoulos discloses “a communication system, comprising:

“a customer manager to determine a user preference for selective re-encoding of a multimedia stream” ([0035], [0036]-[0038], [0046], Figs. 2-3 and 5)

“an encode manager for receiving the multimedia stream, wherein the multimedia is at a first resolution; and” ([0033], [0035]-[0036], [0046]-[0047], Fig. 1 item 120 gateway with item 125 transcoder receives a multimedia stream from item 113 multimedia storage)

“an encoder system for re encoding the received stream to a second resolution using an encoding parameter set selected from a plurality of encoding parameter sets to selectively render an encoded stream with principles set forth by the selected encoding parameter set, wherein the selected encoding parameter set is determined based on an encoding scheme selected from a group of encoding schemes” ([0037]-[0038], [0046], Fig. 1, Fig. 3 items 350 and 360, item 125 the transcoder selects a scheme to re-encode multimedia stream based upon various factors)

“wherein the encoding scheme comprises a scheme based on user preference” ([0036]).

But, while Christopoulos states selecting multiple different sets to encode two different types of multimedia data being image (Fig. 4, [0039]) and video (Fig. 5, [0046]) where the user preferences determine which set to use (the hints associated with each data packet used to select an encoding set), Christopoulos does not explicitly state the

use of a third encoding parameter set for encoding multiple types of the plurality of types of data.

However, Kost discloses an encoding set to encode both video and audio data and an encoding set to encode audio data ([0079]-[0080], [0084], Fig. 1).

Further, while Christopoulos states the user preference further specifies a demand to provide the multimedia stream at a lowest cost (where cost is assumed to be bandwidth) and selecting one of the plurality of encoding parameter sets that provides a high rate of compression and a lower quality of service to provide the lowest cost in accordance with the demand specified by the user preference (when the hint associated with the data packet indicating user preference indicates a high rate of compression and a lower quality), Christopoulos does not explicitly state the preference being with respect to a lower billing cost only with respect to a lower bandwidth cost.

However, Short discloses where a user selects a preference indicating a bandwidth cost, where the bandwidth cost is correlated to a billing cost, the lower the bandwidth cost the lower the billing cost (col. 13 line 58 - col. 14 line 2).

In addition, Christopoulos does not explicitly state there being a first and second user, the first user preferences resulting in a lower quality of service than a second user, where the second user preferences determine the second users quality of service.

However, Mantha discloses based providing voice and data to users (subscribers) determined by pricing schemes, where a second user may pay more for a higher quality of service relative to a first user ([0082]).

Therefore it would have been obvious at the time of the invention to combine the teachings of Christopoulos for adaptive encoding in a wireless communication system that uses multiple encoding parameters sets for specific types of data selected based upon user preferences with the teachings of Kost that discloses an encoding set to encode both video audio data and an encoding set to encode for only audio data and further with the teachings of Short for associating a user preference of bandwidth cost with billing cost and further with the teachings of Mantha for providing different quality of service to different users based on a pricing schemes and allocation criteria. One would have been motivated to do so to provide the user the capability to place a higher priority on audio data over video data via user preferences for video teleconferencing where it would be desirable to have more accurate audio data than video data and to further provide a user the ability for adaptive billing based on bandwidth cost desired, along with providing the option for different quality of services to different users for the purpose of increasing revenue by accounting for users that may not desire to pay for a higher quality of service or desire a higher quality of service and concordantly for users that may desire to pay for a higher quality of service or require a higher quality of service.

**Regarding claim 81**, Christopoulos, Kost, Short and Mantha disclose "a communication system, comprising:

at least one decoder receiving incoming encoded multimedia streams and decoding the streams to render decoded streams;" ([0033], [0045]-[0036], [0046]-[0047],

Fig. 1 item 120 gateway with item 125 transcoder receives a multimedia stream from item 113 multimedia storage)

"a customer manager to determine a user preference for selective re-encoding of a decoded stream" ([0035], [0036]-[0038], [0046], Figs. 2-3 and 5)

"at least one encoding system configured for receiving the decoded stream and encoding the decoded stream using at least one of a plurality of encoding parameter sets to render an encoded stream;

"at least one computer that selects the at least one of the plurality of encoding parameter based on a user preference, wherein at least one of the multimedia streams includes a plurality of different types of data, wherein the plurality of encoding parameter sets include a first encoding parameter set for encoding only a first type of the plurality of types of data, a second encoding parameter set for encoding only a second type of the plurality of types of data different from the first type" ([0036]-[0039], [0046]-[0047], Fig. 1, Fig. 3)

"at least one wireless transceiver for transmitting an encoded stream" ([0003], [0007], [0035], Fig. 1 item 130, a transmitter and receiver at both ends for bi-directional wireless communications would be necessary)

But, while Christopoulos states selecting multiple different sets to encode two different types of multimedia data being image (Fig. 4, [0039]) and video (Fig. 5, [0046]) where the user preferences determine which set to use (the hints associated with each data packet used to select an encoding set), Christopoulos does not explicitly state the



use of a third encoding parameter set for encoding multiple types of the plurality of types of data.

However, Kost discloses an encoding set to encode both video and audio data and an encoding set to encode audio data ([0079]-[0080], [0084], Fig. 1).

Further, while Christopoulos states the user preference further specifies a demand to provide the multimedia stream at a lowest cost (where cost is assumed to be bandwidth) and selecting one of the plurality of encoding parameter sets that provides a high rate of compression and a lower quality of service to provide the lowest cost in accordance with the demand specified by the user preference (when the hint associated with the data packet indicating user preference indicates a high rate of compression and a lower quality), Christopoulos does not explicitly state the preference being with respect to a lower billing cost only with respect to a lower bandwidth cost.

However, Short discloses where a user selects a preference indicating a bandwidth cost, where the bandwidth cost is correlated to a billing cost, the lower the bandwidth cost the lower the billing cost (col. 13 line 58 - col. 14 line 2).

In addition, Christopoulos does not explicitly state there being a first and second user, the first user preferences resulting in a lower quality of service than a second user, where the second user preferences determine the second users quality of service.

However, Mantha discloses based providing voice and data to users (subscribers) determined by pricing schemes, where a second user may pay more for a higher quality of service relative to a first user ([0082]).

Therefore it would have been obvious at the time of the invention to combine the teachings of Christopoulos for adaptive encoding in a wireless communication system that uses multiple encoding parameters sets for specific types of data selected based upon user preferences with the teachings of Kost that discloses an encoding set to encode both video audio data and an encoding set to encode for only audio data and further with the teachings of Short for associating a user preference of bandwidth cost with billing cost and further with the teachings of Mantha for providing different quality of service to different users based on a pricing schemes and allocation criteria. One would have been motivated to do so to provide the user the capability to place a higher priority on audio data over video data via user preferences for video teleconferencing where it would be desirable to have more accurate audio data than video data and to further provide a user the ability for adaptive billing based on bandwidth cost desired, along with providing the option for different quality of services to different users for the purpose of increasing revenue by accounting for users that may not desire to pay for a higher quality of service or desire a higher quality of service and concordantly for users that may desire to pay for a higher quality of service or require a higher quality of service.

**Regarding claim 84**, Christopoulos, Kost, Short and Mantha disclose “the system of Claim 81, wherein the computer further determines which of the plurality of encoding parameter sets to use for each of the first and second users based at least in

part on a wireless mobile receiver capability" ([0035], [0036]-[0038], [0046], Figs. 3 and 5).

**Regarding claim 85**, Christopoulos, Kost, Short and Mantha disclose "the system of Claim 81, wherein the computer further determines which of the plurality of encoding parameter sets to use for each of the first and second users based at least in part on a number of users requesting a specific multimedia stream at a designated QoS for that stream" ([0035], [0036]-[0038], [0046], Figs. 3 and 5).

**Regarding claim 86**, Christopoulos, Kost, Short and Mantha disclose "the system of Claim 81, wherein the computer further determines which of the plurality of encoding parameter sets to use for each of the first and second users based at least in part on a multimedia data type" ([0035], [0036]-[0038], [0046], Figs. 3 and 5).

**Regarding claim 91**, Christopoulos, Kost, Short and Mantha disclose "the system of Claim 81, wherein at least one of the plurality of encoding parameter sets is capable of encoding a multimedia stream at a resolution of a quarter common intermediate format (QCIF) or smaller" ([0046]-[0047]).

**Regarding claim 93**, Christopoulos discloses "a method for wirelessly providing digital multimedia within a wireless communication system, comprising:

receiving an encoded multimedia stream;

decoding the stream to render a decoded stream;

selecting at least one of a plurality of encoding schemes to re encode the stream at a wireless provider facility to render a re-encoded stream based on a user preference

"wherein at least one of the multimedia streams includes a plurality of different types of data, wherein the plurality of encoding parameter sets include a first encoding parameter set for encoding only a first type of the plurality of types of data, a second encoding parameter set for encoding only a second type of the plurality of types of data different from the first type" ([0036]-[0039], [0046]-[0047], Figs. 4-5)

wirelessly transmitting the re-encoded stream to at least one wireless mobile station" ([0035], [0036]-[0038], [0046]-[0047], Figs. 3 and 5).

But, while Christopoulos states selecting multiple different sets to encode two different types of multimedia data being image (Fig. 4, [0039]) and video (Fig. 5, [0046]) where the user preferences determine which set to use (the hints associated with each data packet used to select an encoding set), Christopoulos does not explicitly state the use of a third encoding parameter set for encoding multiple types of the plurality of types of data.

However, Kost discloses an encoding set to encode both video and audio data and an encoding set to encode audio data ([0079]-[0080], [0084], Fig. 1).

Further, while Christopoulos states the user preference further specifies a demand to provide the multimedia stream at a lowest cost (where cost is assumed to be bandwidth) and selecting one of the plurality of encoding parameter sets that provides

a high rate of compression and a lower quality of service to provide the lowest cost in accordance with the demand specified by the user preference (when the hint associated with the data packet indicating user preference indicates a high rate of compression and a lower quality), Christopoulos does not explicitly state the preference being with respect to a lower billing cost only with respect to a lower bandwidth cost.

However, Short discloses where a user selects a preference indicating a bandwidth cost, where the bandwidth cost is correlated to a billing cost, the lower the bandwidth cost the lower the billing cost (col. 13 line 58 - col. 14 line 2).

In addition, Christopoulos does not explicitly state there being a first and second user, the first user preferences resulting in a lower quality of service than a second user, where the second user preferences determine the second users quality of service.

However, Mantha discloses based providing voice and data to users (subscribers) determined by pricing schemes, where a second user may pay more for a higher quality of service relative to a first user ([0082]).

Therefore it would have been obvious at the time of the invention to combine the teachings of Christopoulos for adaptive encoding in a wireless communication system that uses multiple encoding parameters sets for specific types of data selected based upon user preferences with the teachings of Kost that discloses an encoding set to encode both video audio data and an encoding set to encode for only audio data and further with the teachings of Short for associating a user preference of bandwidth cost with billing cost and further with the teachings of Mantha for providing different quality of

service to different users based on a pricing schemes and allocation criteria. One would have been motivated to do so to provide the user the capability to place a higher priority on audio data over video data via user preferences for video teleconferencing where it would be desirable to have more accurate audio data than video data and to further provide a user the ability for adaptive billing based on bandwidth cost desired, along with providing the option for different quality of services to different users for the purpose of increasing revenue by accounting for users that may not desire to pay for a higher quality of service or desire a higher quality of service and concordantly for users that may desire to pay for a higher quality of service or require a higher quality of service.

**Regarding claim 94**, Christopoulos, Kost, Short and Mantha disclose “the method of Claim 93, wherein the selecting act is undertaken dynamically” ([0036]-[0038], [0046]-[0047], Fig. 5).

**Regarding claim 96**, Christopoulos, Kost, Short and Mantha disclose “the method of Claim 93, wherein the selecting act is undertaken based at least in part on a wireless mobile receiver capability” ([0036]-[0038], [0046]-[0047], Fig. 5).

**Regarding claim 101**, Christopoulos, Kost, Short and Mantha disclose “the method of Claim 93, wherein the selecting act is undertaken based at least in part on a multimedia data type” ([0036]-[0038], [0046]-[0047], Fig. 5).

**Regarding claim 102**, Christopoulos discloses “a wireless provider system, comprising:

means for decoding a received encoded multimedia stream, wherein the encoded multimedia stream includes a plurality of different types of data;” ([0039], [0046])

“first means for re-encoding the stream only a first type of the plurality of types of the data;” ([0039])

“second means for re-encoding the stream only a second type different from the first type of the plurality of types of the data;” ([0046])

logic means for determining which one of the first, second means for re-encoding to use, based on at least one factor that includes a user preference, wherein the user preference indicates which of the first, second means to use when encoding the multimedia stream” ([0035], [0036]-[0038], [0046]-[0047], Figs. 3 and 5).

But, while Christopoulos states selecting multiple different sets to encode two different types of multimedia data being image (Fig. 4, [0039]) and video (Fig. 5, [0046]) where the user preferences determine which set to use (the hints associated with each data packet used to select an encoding set), Christopoulos does not explicitly state the use of a third encoding parameter set for encoding multiple types of the plurality of types of data.

However, Kost discloses an encoding set to encode both video and audio data and an encoding set to encode audio data ([0079]-[0080], [0084], Fig. 1).

Further, while Christopoulos states the user preference further specifies a demand to provide the multimedia stream at a lowest cost (where cost is assumed to be bandwidth) and selecting one of the plurality of encoding parameter sets that provides a high rate of compression and a lower quality of service to provide the lowest cost in accordance with the demand specified by the user preference (when the hint associated with the data packet indicating user preference indicates a high rate of compression and a lower quality), Christopoulos does not explicitly state the preference being with respect to a lower billing cost only with respect to a lower bandwidth cost.

However, Short discloses where a user selects a preference indicating a bandwidth cost, where the bandwidth cost is correlated to a billing cost, the lower the bandwidth cost the lower the billing cost (col. 13 line 58 - col. 14 line 2).

In addition, Christopoulos does not explicitly state there being a first and second user, the first user preferences resulting in a lower quality of service than a second user, where the second user preferences determine the second users quality of service.

However, Mantha discloses based providing voice and data to users (subscribers) determined by pricing schemes, where a second user may pay more for a higher quality of service relative to a first user ([0082]).

Therefore it would have been obvious at the time of the invention to combine the teachings of Christopoulos for adaptive encoding in a wireless communication system that uses multiple encoding parameters sets for specific types of data selected based upon user preferences with the teachings of Kost that discloses an encoding set to



encode both video audio data and an encoding set to encode for only audio data and further with the teachings of Short for associating a user preference of bandwidth cost with billing cost and further with the teachings of Mantha for providing different quality of service to different users based on a pricing schemes and allocation criteria. One would have been motivated to do so to provide the user the capability to place a higher priority on audio data over video data via user preferences for video teleconferencing where it would be desirable to have more accurate audio data than video data and to further provide a user the ability for adaptive billing based on bandwidth cost desired, along with providing the option for different quality of services to different users for the purpose of increasing revenue by accounting for users that may not desire to pay for a higher quality of service or desire a higher quality of service and concordantly for users that may desire to pay for a higher quality of service or require a higher quality of service.

**Regarding claim 105**, Christopoulos, Kost, Short and Mantha disclose "the system of Claim 102, wherein the first and second user preferences include a factor that defines a wireless user characteristic" ([0036]-[0038], [0046]-[0047], Fig. 5).

**Regarding claim 106**, Christopoulos, Kost, Short and Mantha disclose "the system of Claim 102, wherein the first and second user preferences include a factor that defines a multimedia data type" ([0036]-[0038], [0046]-[0047], Fig. 5).

**Regarding claim 111**, Christopoulos, Kost, Short and Mantha disclose "the system of claim 102, wherein first and second user preferences include a factor selected from group of factors that include a factor based on a system bandwidth, a factor based on a current available system bandwidth, a factor based on a wireless user characteristic, a factor based on a number of users requesting a specific multimedia stream at a designated QoS a factor based on a multimedia data type and the factor based on the wireless user preference" ([0036]-[0038], [0046]-[0047], Fig. 5).

**Regarding claim 112**, Christopoulos discloses "a communication system, comprising:

decoder means for receiving incoming encoded multimedia streams and decoding the streams to output decoded streams;" ([0033], [0045]-[0036], [0046]-[0047], Fig. 1 item 120 gateway with item 125 transcoder receives a multimedia stream from item 113 multimedia storage)

"encoder means for receiving and encoding at least one of the decoded streams using one of a plurality of encoding parameter sets to output an encoded stream," ([0036])

"wherein the encoder means further includes means for selecting the one of the plurality of encoding schemes based on a user preference, wherein at least one of the multimedia streams includes a plurality of different types of data, wherein the plurality of encoding parameter sets include a first encoding parameter set for encoding only a first type of the plurality of types of data, a second encoding parameter set for encoding only

a second type of the plurality of types of data different from the first type" ([0036]-[0039], [0046]-[0047], Fig. 1, Figs. 4-5)

But, Christopoulos does not explicitly state dynamically determining a current bandwidth available for the multimedia stream based on a current number and types of users. However, Kost teaches dynamically estimating the available bandwidth available and transcodes the stream based on a current number and types of users ([0020], [0035], Figs. 2-3)

Further, while Christopoulos states the user preference further specifies a demand to provide the multimedia stream at a lowest cost (where cost is assumed to be bandwidth) and selecting one of the plurality of encoding parameter sets that provides a high rate of compression and a lower quality of service to provide the lowest cost in accordance with the demand specified by the user preference (when the hint associated with the data packet indicating user preference indicates a high rate of compression and a lower quality), Christopoulos does not explicitly state the preference being with respect to a lower billing cost only with respect to a lower bandwidth cost.

However, Short discloses where a user selects a preference indicating a bandwidth cost, where the bandwidth cost is correlated to a billing cost, the lower the bandwidth cost the lower the billing cost (col. 13 line 58 - col. 14 line 2).

In addition, Christopoulos does not explicitly state there being a first and second user, the first user preferences resulting in a lower quality of service than a second user, where the second user preferences determine the second users quality of service.

However, Mantha discloses based providing voice and data to users (subscribers) determined by pricing schemes, where a second user may pay more for a higher quality of service relative to a first user ([0082]).

Therefore it would have been obvious at the time of the invention to combine the teachings of Christopoulos for adaptive encoding in a wireless communication system that uses multiple encoding parameters sets for specific types of data selected based upon user preferences with the teachings of Kost that discloses an encoding set to encode both video audio data and an encoding set to encode for only audio data and further with the teachings of Short for associating a user preference of bandwidth cost with billing cost and further with the teachings of Mantha for providing different quality of service to different users based on a pricing schemes and allocation criteria. One would have been motivated to do so to provide the user the capability to place a higher priority on audio data over video data via user preferences for video teleconferencing where it would be desirable to have more accurate audio data than video data and to further provide a user the ability for adaptive billing based on bandwidth cost desired, along with providing the option for different quality of services to different users for the purpose of increasing revenue by accounting for users that may not desire to pay for a higher quality of service or desire a higher quality of service and concordantly for users that may desire to pay for a higher quality of service or require a higher quality of service.

**Regarding claim 115**, Christopoulos, Kost, Short and Mantha disclose "the system of Claim 112, wherein the encoder means includes means for determining which of the plurality of encoding parameter sets to use based at least in part on a wireless mobile receiver capability" ([0036]-[0038], [0046]-[0047], Fig. 5).

**Regarding claim 116**, Christopoulos, Kost, Short and Mantha disclose ""the system of Claim 112, wherein the encoder means includes means for determining which of the plurality of encoding parameter sets to use for each of the first and second user preferences based at least in part on a number of users requesting a specific multimedia stream at a designated QoS for that stream" ([0036]-[0038], [0046]-[0047], Fig. 5).

**Regarding claim 117**, Christopoulos, Kost, Short and Mantha disclose "the system of Claim 112, wherein the encoder means includes means for determining which of the plurality of encoding parameter sets to use for each of the first and second user preferences based at least in part on a multimedia data type" ([0036]-[0038], [0046]-[0047], Fig. 5).

**Regarding claim 118**, Christopoulos, Kost, Short and Mantha disclose "the system of Claim 112, wherein the encoder means includes means for determining which of the plurality of encoding parameter sets to use for each of the first and second user

preferences based at least in part on a wireless user preference" ([0036]-[0038], [0046]-[0047], Fig. 5).

**Regarding claim 122**, Christopoulos, Kost, Short and Mantha disclose "the system of Claim 112, wherein at least one of the plurality of encoding parameter sets comprises an encoding parameter set that is used to encode the multimedia stream at a resolution of a quarter common intermediate format (QCIF) or smaller" ([0036]-[0038], [0046]-[0047], Fig. 5).

**Regarding claim 124**, Christopoulos, Kost, Short and Mantha disclose "the system of Claim 81, wherein the computer determines which of the plurality of encoding parameter sets to use based at least in part on a system bandwidth" ([0035]-[0036]).

**Regarding claim 125**, Christopoulos, Kost, Short and Mantha disclose "the system of Claim 81, wherein the computer determines which of the plurality of encoding parameter sets to use for each of the first and second user preferences based at least in part on a current available system bandwidth" ([0035]-[0036]).

**Regarding claim 126**, Christopoulos, Kost, Short and Mantha disclose "the method of Claim 93, wherein the selecting act is undertaken at least in part based on a bandwidth" ([0035]-[0036]).

**Regarding claim 127**, Christopoulos, Kost, Short and Mantha disclose "the system of Claim 102, wherein for each of the first and second user preferences include a factor that defines a system bandwidth" ([0035]-[0036]).

**Regarding claim 128**, Christopoulos, Kost, Short and Mantha disclose "the system of Claim 102, wherein for each of the first and second user preferences include a factor that defines a current available system bandwidth" ([0035]-[0036]).

**Regarding claim 129**, Christopoulos, Kost, Short and Mantha disclose "the system of Claim 112, wherein the encoder means further includes means for determining which of the plurality of encoding parameter sets to use for each of the first and second user preferences based at least in part on a system bandwidth" ([0035]-[0036]).

**Regarding claim 130**, Christopoulos, Kost, Short and Mantha disclose "the system of Claim 112, wherein encoder means further includes means for determining which encoding parameter set to use for each of the first and second user preferences based at least in part on a current available system bandwidth" ([0035]-[0036]).

**Regarding claim 131**, Christopoulos, Kost, Short and Mantha disclose "the communication system of Claim 112, wherein the system comprises wireless service provider equipment that wirelessly communicates re-encoded versions of the

multimedia stream to different wireless mobile stations " ([0035], [0036]-[0038], [0046]-[0047], Figs. 3 and 5).

**Regarding claim 132**, Christopoulos, Kost, Short and Mantha disclose "the apparatus of claim 1,

wherein the multimedia stream comprise a plurality of deterrent types of multimedia data, wherein the encoder manager selects the first encoding parameter set for encoding only the first type of the plurality of types of data, wherein the encoder system re-encodes only the first type of the plurality of types of data using the selected first encoding parameter set, and wherein the apparatus only sends the re-encoded first type of the plurality of types of data to a requesting device without sending any of the remaining types of the plurality of types of data to the requesting device" (see Christopoulos, [0036], where only data types of a received stream that can be reformatted and handled for transmission to a received device are used and sent).

**Regarding claim 133**, Christopoulos, Kost, Short and Mantha disclose "the wherein the multimedia stream comprises audio, video and text data, wherein the encoder manager selects the first encoding parameter set for encoding only the audio data, wherein the encoder system re-encodes only the audio data using the selected first encoding parameter set, and wherein the apparatus only sends the re-encoded audio data to a requesting device without sending any of the video and text data to the requesting device" (see Christopoulos, [0036], where only data types of a received



stream that can be reformatted and handled for transmission to a received device are used and sent).

9. Claims 3-4, 24, 27-28, 48, 51-52, 72, 75-76, 88-90, 98-100, 108-110, and 119-121 are rejected under 35 U.S.C. 103(a) as being unpatentable over Christopoulos et al. (US 2001/0047517 hereinafter Christopoulos), Kost et al. (US 2002/0154691 hereinafter Kost), Short et al. (US 6,789,110 hereinafter Short) and Mantha et al. (US 2004/0023622 hereinafter Mantha), and in further view of Vetro et al. (US 2004/0203851 hereinafter Vetro)

**Regarding claims 3-4, 24, 27-28, 48, 51-52, and 72,** Christopoulos, Kost, Short and Mantha disclose the limitations of claims 1-2, 25-26, and 49-50, as described above, but while Christopoulos discloses selecting an encoding means based on various parameters such as user preferences and multimedia data type, Christopoulos does not explicitly state doing so with a corresponding billing scheme.

However, Vetro teaches the delivery of content with content adaptation via transcoding ([0079]-[0082]), where a billing method is agreed upon for the content delivery ([0067], [0073]-[0078]), and billing method is based on various factors including environment descriptions ([0035]-[0041]).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to combine the teachings of Christopoulos for selecting a more customized encoding means based on various parameters such as user preferences

and multimedia data type with the teachings of Vetro for selecting a more customized encoding means based on various parameters such as user preferences and multimedia data type with corresponding billing scheme. One would have been motivated to do so, for the purpose of generating a more adaptable billing scheme based on a more customized encoding and delivery of data.

**Regarding claims 75-76**, Christopoulos, Kost, Short and Mantha disclose the mobile station of claim 74 as described above, but while Christopoulos discloses selecting an encoding means based on various parameters such as user preferences and multimedia data type, Christopoulos does not explicitly state doing so with a corresponding billing scheme.

However, Vetro teaches the delivery of content with content adaptation via transcoding ([0079]-[0082]), where a billing method is agreed upon for the content delivery ([0067], [0073]-[0078]), and billing method is based on various factors including environment descriptions ([0035]-[0041]).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to combine the teachings of Christopoulos and Kost for selecting a more customized encoding means based on various parameters such as user preferences and multimedia data type with the teachings of Vetro for selecting a more customized encoding means based on various parameters such as user preferences and multimedia data type with corresponding billing scheme. One would

have been motivated to do so, for the purpose of generating a more adaptable billing scheme based on a more customized encoding and delivery of data.

**Regarding claims 88-90**, Christopoulos, Kost, Short and Mantha disclose the system of claim 86 as described above, but while Christopoulos discloses selecting an encoding means based on various parameters such as user preferences and multimedia data type, Christopoulos does not explicitly state doing so with a corresponding billing scheme.

However, Vetro teaches the delivery of content with content adaptation via transcoding ([0079]-[0082]), where a billing method is agreed upon for the content delivery ([0067], [0073]-[0078]), and billing method is based on various factors including environment descriptions ([0035]-[0041]).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to combine the teachings of Christopoulos and Kost for selecting a more customized encoding means based on various parameters such as user preferences and multimedia data type with the teachings of Vetro for selecting a more customized encoding means based on various parameters such as user preferences and multimedia data type with corresponding billing scheme. One would have been motivated to do so, for the purpose of generating a more adaptable billing scheme based on a more customized encoding and delivery of data.

**Regarding claims 98-100**, Christopoulos, Kost, Short and Mantha disclose the method of claim 93 as described above, but while Christopoulos discloses selecting an encoding means based on various parameters such as user preferences and multimedia data type, Christopoulos does not explicitly state doing so with a corresponding billing scheme.

However, Vetro teaches the delivery of content with content adaptation via transcoding ([0079]-[0082]), where a billing method is agreed upon for the content delivery ([0067], [0073]-[0078]), and billing method is based on various factors including environment descriptions ([0035]-[0041]).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to combine the teachings of Christopoulos and Kost for selecting a more customized encoding means based on various parameters such as user preferences and multimedia data type with the teachings of Vetro for selecting a more customized encoding means based on various parameters such as user preferences and multimedia data type with corresponding billing scheme. One would have been motivated to do so, for the purpose of generating a more adaptable billing scheme based on a more customized encoding and delivery of data.

**Regarding claims 108-110**, Christopoulos, Kost, Short and Mantha disclose the system of claim 102 as described above, but while Christopoulos discloses selecting an encoding means based on various parameters such as user preferences and

multimedia data type, Christopoulos does not explicitly state doing so with a corresponding billing scheme.

However, Vetro teaches the delivery of content with content adaptation via transcoding ([0079]-[0082]), where a billing method is agreed upon for the content delivery ([0067], [0073]-[0078]), and billing method is based on various factors including environment descriptions ([0035]-[0041]).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to combine the teachings of Christopoulos and Kost for selecting a more customized encoding means based on various parameters such as user preferences and multimedia data type with the teachings of Vetro for selecting a more customized encoding means based on various parameters such as user preferences and multimedia data type with corresponding billing scheme. One would have been motivated to do so, for the purpose of generating a more adaptable billing scheme based on a more customized encoding and delivery of data.

**Regarding claims 119-121**, Christopoulos, Kost, Short and Mantha disclose the system of claim 112 as described above, but while Christopoulos discloses selecting an encoding means based on various parameters such as user preferences and multimedia data type, Christopoulos does not explicitly state doing so with a corresponding billing scheme.

However, Vetro teaches the delivery of content with content adaptation via transcoding ([0079]-[0082]), where a billing method is agreed upon for the content delivery ([0067], [0073]-[0078]), and billing method is based on various factors including environment descriptions ([0035]-[0041]).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to combine the teachings of Christopoulos and Kost for selecting a more customized encoding means based on various parameters such as user preferences and multimedia data type with the teachings of Vetro for selecting a more customized encoding means based on various parameters such as user preferences and multimedia data type with corresponding billing scheme. One would have been motivated to do so, for the purpose of generating a more adaptable billing scheme based on a more customized encoding and delivery of data.

10. Claims 6, 30, 54, and 78 are rejected under 35 U.S.C. 103(a) as being unpatentable over Christopoulos et al. (US 2001/0047517 hereinafter Christopoulos) and in view of Kost et al. (US 2002/0154691 hereinafter Kost), Short et al. (US 6,789,110 hereinafter Short) and Mantha et al. (US 2004/0023622 hereinafter Mantha) as applied to claims 2, 26, 50, and 74 above, and in view of Wang et al. (US 2002/0152317 hereinafter Wang).

**Regarding claim 6**, Christopoulos, Kost, Short and Mantha disclose the apparatus of claim 2 as described above, but while Christopoulos teaches selecting an encoding scheme based on various parameters and subsequently encoding and received stream, Christopoulos does not explicitly state the apparatus "comprising a plurality of encoders, each for executing the encoder parameter set based on the encoding scheme".

However, Wang teaches a transcoder using a plurality of encoders each for executing an encoder parameter set ([0027], Fig. 6), where the transcoder receives an encoded stream, decodes the encoded stream with a decoder (Fig. 6 item 62) then re-encodes the received stream via selection of a plurality of encoders (Fig. 6 items 64A-N) creating the possibility of multiple output streams to clients using multiple different encoding parameters sets specific to the clients ([0028]-[0029], [0030]-[0035]).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made, to combine the teachings of Christopoulos and Kost for selecting an encoding means when re-encoding a receiving stream based upon various parameters via use of a transcoder with the teachings of Wang for use of multiple encoders in a transcoder as an encoding means when re-encoding a receiving stream based upon parameters. One would have been motivated to use multiple encoders and a decoder in a transcoder as opposed to multiple transcoders for the purpose of using a single transcoder to process the same stream for an output encoding scheme as necessary for any requesting clients as suggested by Wang ([0030]-[0031]).

**Regarding claim 30**, Christopoulos, Kost, Short and Mantha disclose the method of claim 26 as described above, but while Christopoulos teaches selecting an encoding scheme based on various parameters and subsequently encoding and received stream, Christopoulos does not explicitly state the method "comprising executing the encoder parameter set using a plurality of encoders".

However, Wang teaches a transcoder using a plurality of encoders each for executing an encoder parameter set ([0027], Fig. 6), where the transcoder receives an encoded stream, decodes the encoded stream with a decoder (Fig. 6 item 62) then re-encodes the received stream via selection of a plurality of encoders (Fig. 6 items 64A-N) creating the possibility of multiple output streams to clients using multiple different encoding parameters sets specific to the clients ([0028]-[0029], [0030]-[0035]).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made, to combine the teachings of Christopoulos and Kost for selecting an encoding means when re-encoding a receiving stream based upon various parameters via use of a transcoder with the teachings of Wang for use of multiple encoders in a transcoder as an encoding means when re-encoding a receiving stream based upon parameters. One would have been motivated to use multiple encoders and a decoder in a transcoder as opposed to multiple transcoders for the purpose of using a single transcoder to process the same stream for an output encoding scheme as necessary for any requesting clients as suggested by Wang ([0030]-[0031]).



**Regarding claim 54**, Christopoulos, Kost, Short and Mantha disclose the apparatus of claim 50 as described above, but while Christopoulos teaches selecting an encoding scheme based on various parameters and subsequently encoding and received stream, Christopoulos does not explicitly state the apparatus "comprising means for executing the encoder parameter set using a plurality of encoders".

However, Wang teaches a transcoder using a plurality of encoders each for executing an encoder parameter set ([0027], Fig. 6), where the transcoder receives an encoded stream, decodes the encoded stream with a decoder (Fig. 6 item 62) then re-encodes the received stream via selection of a plurality of encoders (Fig. 6 items 64A-N) creating the possibility of multiple output streams to clients using multiple different encoding parameters sets specific to the clients ([0028]-[0029], [0030]-[0035]).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made, to combine the teachings of Christopoulos and Kost for selecting an encoding means when re-encoding a receiving stream based upon various parameters via use of a transcoder with the teachings of Wang for use of multiple encoders in a transcoder as an encoding means when re-encoding a receiving stream based upon parameters. One would have been motivated to use multiple encoders and a decoder in a transcoder as opposed to multiple transcoders for the purpose of using a single transcoder to process the same stream for an output encoding scheme as necessary for any requesting clients as suggested by Wang ([0030]-[0031]).

**Regarding claim 78**, Christopoulos, Kost, Short and Mantha disclose the mobile station of claim 74 as described above, but while Christopoulos teaches selecting an encoding scheme based on various parameters and subsequently encoding and received stream, Christopoulos does not explicitly state the apparatus "comprising a plurality of encoders, each for executing the encoder parameter set based on the encoding scheme".

However, Wang teaches a transcoder using a plurality of encoders each for executing an encoder parameter set ([0027], Fig. 6), where the transcoder receives an encoded stream, decodes the encoded stream with a decoder (Fig. 6 item 62) then re-encodes the received stream via selection of a plurality of encoders (Fig. 6 items 64A-N) creating the possibility of multiple output streams to clients using multiple different encoding parameters sets specific to the clients ([0028]-[0029], [0030]-[0035]).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made, to combine the teachings of Christopoulos and Kost for selecting an encoding means when re-encoding a receiving stream based upon various parameters via use of a transcoder with the teachings of Wang for use of multiple encoders in a transcoder as an encoding means when re-encoding a receiving stream based upon parameters. One would have been motivated to use multiple encoders and a decoder in a transcoder as opposed to multiple transcoders for the purpose of using a single transcoder to process the same stream for an output encoding scheme as necessary for any requesting clients as suggested by Wang ([0030]-[0031]).

11. Claims 13, 15, 37, 39-40, 61, and 63-64 are rejected under 35 U.S.C. 103(a) as being unpatentable over Christopoulos et al. (US 2001/0047517 hereinafter Christopoulos) in view of Kost et al. (US 2002/0154691 hereinafter Kost), Short et al. (US 6,789,110 hereinafter Short) and Mantha et al. (US 2004/0023622 hereinafter Mantha), and in further view of Anand et al. (US 6,920,179 hereinafter Anand).

**Regarding claims 13, 37, and 61**, Christopoulos, Kost, Short and Mantha disclose the limitations of claims 12, 36, and 60 as described above, but while Christopoulos teaches the use of QCIF which typically transmitted at 10 frames per second, hereinafter 'fps', is within the bandwidth of 16 kilo-bits per second, hereinafter kbps, Christopoulos does not explicitly state a first frame rate of 10fps and bandwidth of 16kbps.

However, Anand discloses transcoding in a heterogeneous network for instance a wired-to-wireless network where a received stream (col. 4 line 66 - col. 5 line 31, Fig. 2) may be received from a wired network (Fig. 4 item 420) and subsequently transcoded at a transcoder (Fig 4 item 424) prior to transmission to a mobile receiver (Fig. 4 item 104), into a different encoded stream (col. 7 line 54 – 65, Figs. 3 and 5) at different fps and bps including QCIF at 10fps.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Christopoulos and Kost for transcoding a received stream into various levels including QCIF with the teachings of Anand for transcoding in a heterogeneous network for instance a wired-to-wireless network where a received stream is transcoded into various levels including QCIF at

10fps. One would have been motivated to do so, for the purpose of providing a more customized encoding scheme and better encoding adaptation when transcoding from a source stream via using widely used formats such as QCIF and CIF at varying fps such as 10 and 15fps and varying bps.

**Regarding claims 15 and 39**, Christopoulos, Kost, Short and Mantha disclose the limitations of claims 14, 38, and 62 as described above, but while Christopoulos teaches the use of commonly used resolution formats in video communications such as QCIF and CIF, Christopoulos does not explicitly state a first resolution is VGA format, but does state a second resolution and first frame rate configured for a handheld device as described above.

However, Anand discloses transcoding in a heterogeneous network for instance a wired-to-wireless network where a received stream (col. 4 line 66 - col. 5 line 31, Fig. 2) may be received from a wired network (Fig. 4 item 420) and subsequently transcoded at a transcoder (Fig 4 item 424) prior to transmission to a mobile receiver (Fig. 4 item 104), into a different encoded stream (col. 7 line 54 – 65, Figs. 3 and 5) at different fps and bps including QCIF at 10fps, where OFFICIAL NOTICE is taken that the use of VGA widely used in wired communications such as for personal computer monitors, and therefore would have been obvious to try for the purpose of providing compatibility with source streams of widely used wired communication formats such as VGA.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Christopoulos and Kost for

transcoding a received stream of various formats with the teachings of Anand for transcoding in a heterogeneous network for instance a wired-to-wireless network where a received stream is transcoded from various wired formats into various wireless formats. One would have been motivated to do so, for providing compatibility with source streams of widely used wired communication formats.

**Regarding claims 39-40, and 63-64,** Christopoulos, Kost, Short and Mantha disclose the limitations of claims 14, 38, and 62 as described above, but while Christopoulos teaches the use of QCIF and CIF which typically transmitted at 10 frames per second, hereinafter 'fps', or 15 is within the bandwidth of 16 kilo-bits per second, hereinafter kbps, to 64kbps and 32 to 64 kbps, respectively, Christopoulos does not explicitly state a first frame rate of 10fps and bandwidth of 16kbps.

However, Anand discloses transcoding in a heterogeneous network for instance a wired-to-wireless network where a received stream (col. 4 line 66 - col. 5 line 31, Fig. 2) may be received from a wired network (Fig. 4 item 420) and subsequently transcoded at a transcoder (Fig 4 item 424) prior to transmission to a mobile receiver (Fig. 4 item 104), into a different encoded stream (col. 7 line 54 – 65, Figs. 3 and 5) at different fps and bps including QCIF at 10fps.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Christopoulos and Kost for transcoding a received stream into various levels including QCIF with the teachings of Anand for transcoding in a heterogeneous network for instance a wired-to-wireless

network where a received stream is transcoded into various levels including QCIF at 10fps. One would have been motivated to do so, for the purpose of providing a more customized encoding scheme and better encoding adaptation when transcoding from a source stream via using widely used formats such as QCIF and CIF at varying fps such as 10 and 15fps and varying bps.

12. Claim 18, 43, and 67 are rejected under 35 U.S.C. 103(a) as being unpatentable over Christopoulos et al. (US 2001/0047517 hereinafter Christopoulos) and Kost et al. (US 2002/0154691 hereinafter Kost), Short et al. (US 6,789,110 hereinafter Short) and Mantha et al. (US 2004/0023622 hereinafter Mantha) as applied to claims 1, 42 and 66 in view of Patterson (US 6,018,369 hereinafter Patterson) and Tsukagoshi (US 5,731,847 hereinafter Tsukagoshi).

**Regarding claims 18, 43 and 67,** Christopoulos, Kost, Short and Mantha disclose the apparatus of claims 1 and 66 and the method of claim 42,

"wherein the first encoding parameter is only for encoding audio data," (see Kost [0084])

"wherein the second encoding parameter set is only for encoding video data, " (see Kost [0084], see Christopoulos Fig. 5, [0046])

But, while Christopoulos discloses a parameter set for only encoding a third type of data different from the first two (image data Fig. 4, [0039]), neither Christopoulos nor Short or Kost disclose a third parameter set to encode only text data or selecting a text data type encode with audio and or video data.

However, Tsukagoshi discloses a parameter set (*3<sup>rd</sup> parameter set*) for only encoding a text data type being closed caption data (where text data is considered the 3<sup>rd</sup> data type, abstract) and Patterson discloses encoding text data with other data types being video data (abstract, Fig. 3).

Therefore, it would have been obvious to a person of ordinary skill in the art to combine the teachings of Christopoulos, Kost, Short and Mantha for selectively encoding three types of data in combination or individually with the teachings of Tsukagoshi for encoding text data separately and Patterson for encoding text data with other data types. One would have been motivated to do so to account for environments too loud for the audio portion to be heard or where bandwidth is limited reducing the ability to provide a more bandwidth intensive video and or audio portion.

13. Claims 92 and 123 are rejected under 35 U.S.C. 103(a) as being unpatentable over Christopoulos et al. (US 2001/0047517 hereinafter Christopoulos) in view of Kost et al. (US 2002/0136298 hereinafter Kost), Short et al. (US 6,789,110 hereinafter Short) and Mantha et al. (US 2004/0023622 hereinafter Mantha) as applied to claims 14, 38, 62, 81, and 112.

**Regarding claim 92**, Christopoulos, Kost, Short and Mantha disclose the system of claim 81 as described above, but while Christopoulos teaches the use of CIF and QCIF with transcoding along with QCIF being a resolution in an encoding parameter set, Christopoulos does not explicitly state CIF being a resolution in an encoding parameter set. However, OFFICIAL NOTICE is taken that the use of resolutions such as

QCIF and CIF are widely used resolution standards for mobile display device, therefore CIF would have been obvious to try for the purpose of providing selection of widely used resolution standards when selecting encoding parameter sets.

**Regarding claim 123**, Christopoulos, Kost, Short and Mantha disclose the system of claim 112 as described above, but while Christopoulos teaches the use of CIF and QCIF with transcoding along with QCIF being a resolution in an encoding parameter set, Christopoulos does not explicitly state CIF being a resolution in an encoding parameter set. However, OFFICIAL NOTICE is taken that the use of resolutions such as QCIF and CIF are widely used resolution standards for mobile display device, therefore CIF would have been obvious to try for the purpose of providing selection of widely used resolution standards when selecting encoding parameter sets.

### ***Conclusion***

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the



shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

### ***Contacts***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MARK P. STANLEY whose telephone number is (571)270-3757. The examiner can normally be reached on 8:00AM - 5:00PM Mon-Fri EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Scott Beliveau can be reached on (571) 272-7343. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Mark P Stanley/  
Examiner, Art Unit 2427

/Scott Beliveau/  
Supervisory Patent Examiner, Art Unit 2427